


How to connect The LGK200A with THUNDER X-PRO

- ◆ The LGK200A connect to THUNDER X-PRO, 4 wires need to be connected.
- ◆ The Machine connect terminal:


Machine	Aviation plug	Terminal No.	Description	
	2 0000	START	The CNC plasma arc initiation signal	
THUMBED V	2-core	START		
THUNDER X-				
PRO connect				
terminal				
torrinia	2-core	ARC+	The CNC arc voltage signal	
		ARC-		





◆ THE LGK200A connect terminal:

Note: The customer needs to connect the power cable according to the actual plasma models.




Signal	Туре	Notes	Connector sockets
ARC Start	lanut	The CNC places are initiation signal	3Pin
ARC Start	Input	The CNC plasma arc initiation signal	4Pin
Successful	•	Normally open. Dry contact closure when	1Pin
Signal	Output	the arc transfers.	2Pin



The original arc voltage position of the plasma power supply:

Open the plasma cover—Lead into the arc voltage cable from the reserved position—Connect arc voltage signal;







◆ Cable connecting method:

	Tarminal No.	Corresponding interface of THE	The interface
	Terminal No.	LGK200A	position
	START	3 Input Start	
	START	4 Input Start	
THUNDER X-PRO			THE LGK200A
connect terminal			Interface
	ARC+	24 Positive electrode	
	ARC-	25 Negative electrode	

◆ Connect the machine to the plasma signal with terminal blocks:

